

# RALEIGH



# Raleigh Professional MK. IV

The ultimate for the discriminating cyclist who wants the very best... Frame is of Reynolds 531 double butted tubes throughout, chrome-tipped forks, and stays... fully equipped with CAMPAGNOLO COMPONENTS including brakes, plus pump and many extras.

Gents Model DL180 available in 20½", 21½", 22½", 23½", 24½" and 25½" frame sizes in Blue Mink/Silver color combination.



1 - Famous "Victor" direct seat stay cluster


2 - Forged integral sloping fork crown

3 - Reynolds 531 Butted tubes, stays & forks



# Raleigh Professional Track

Especially built for professional and amateur track racing . . . the specifications are similar to those used by the World Champion Carlton Racing Team. Rigid frame is Reynolds 531 tubing, double butted throughout . . . fully equipped with CAMPAGNOLO COMPONENTS. Gents Model DL175 available in 21", 22", 23" and 24" frame sizes in official team colors . . . Red/White Combination.



1 - Carlton initial cutout in bottom bracket shell

2 - Front fork blade stiffeners

3 - Feature lightened Campagnolo rear fork ends



Raleigh cycling devotees who want the very finest can choose from the Professional and International models . . . which are superbly crafted and hand-made to exacting specifications in Raleigh's Carlton factories. Carlton riders have earned championships year after year in international events, gaining success in the World Professional 1,000 Meter Sprint.

# Raleigh International


Reynolds 531 butted tubes, forks, and stays . . . equipped with CAMPAGNOLO COMPONENTS and Weinmann 999 center pull quick release brakes.

Gents Model DL170 available in 21½" frame size in Chartreuse and 22½", 23½" and 24½" in choice of Chartreuse or Champagne colors.



1 - Campagnolo chainwheel set, pedals, hubs, and gears

2 - "Capella" Custom feature-cut, light weight lugs





# Raleigh Competition MK II

A cycle that answers the needs of the young racer who demands high quality at a price or the touring fan who wants something more than the average 10-Speed provides.

Built to rigid standards, the Raleigh Competition Mark II is fitted with quality components throughout, such as Weinmann Center pull brakes with braided cable eyes, Huret 10-Speed Derailleur, quick release alloy hubs and Brooks toeclips. Frame is of Reynolds 531 double butted tubing with half chrome tips. Saddle is a Professional, tires are Hutchinson tubular.

Gents Model DL165 available in 21½", 22½", 23½", and 24½" frame sizes in Black with Chrome trim.



1 - New Huret Jubilee rear Derailleur mechanism


2 - Alloy Cotterless TA double chain-wheel & cranks



# Raleigh Gran Sport

An excellent club machine for the touring rider who prefers a high quality specification with choice components.

Gents Model DL160 available in 20½", 21½", 22½", 23½", 24½" frame sizes in White with Blue trim.



1 - New wide ratio Simplex Maxi-Gear mechanism

2 - Alloy Randonneur touring handlebar



## RALEIGH RACING AND SPORTS CYCLES

Bred from the heat of competition, the cycles in Raleigh's 10-Speed collection are designed by the world's leading specialists in the racing field ... offered in a variety of specifications and fitted with the most carefully selected components, the Raleigh 10-Speeds are painstakingly crafted to suit every performance requirement, taste and budget.

# Raleigh Super Course TT


The Super Course TT comes with the same fine specifications and components as the Super Course plus sprint rims and tubular tires.

Gents Model DL105 available in 21½",  
23½", and 25½" frame sizes in  
Flamboyant Red.



1 - Quick release wide flange alloy hubs


2 - Alloy hollow section sprint rims with tubular tires



# Raleigh Super Course

Specifications include Reynolds 531 tubing, quick release wide-flange hubs, center-pull brakes, alloy rims . . . Simplex 10-Speed gear, fitted with 40-52T chainwheel and 14/28T sprocket, and other high quality components.

Gents Model DL100 available in 20½", 21½", 23½", and 25½" frame sizes in choice of Coffee and Bronze Green colors. Ladies Model DL100L available in 21½" rigid twin-tube frame in choice of Coffee and Bronze Green colors.



\$160.00



# Technical Specifications

MODEL NO. PAGE NO.	Professional Mk IV DL 180 2	Professional Track DL 175 3	International DL 170 4	Competition MK II DL 165 6	Gran Sport DL 160 7	Super Course TT DL 105 8	Super Course DL 100 9	Grand Prix DL 115 11
FRAME SIZE	20 $\frac{1}{2}$ ", 21 $\frac{1}{2}$ ", 22 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 24 $\frac{1}{2}$ ", 25 $\frac{1}{2}$ "	21", 22", 23", 24"	21 $\frac{1}{2}$ ", 22 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 24 $\frac{1}{2}$ "	21 $\frac{1}{2}$ ", 22 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 24 $\frac{1}{2}$ "	20 $\frac{1}{2}$ ", 21 $\frac{1}{2}$ ", 22 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 24 $\frac{1}{2}$ "	21 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 25 $\frac{1}{2}$ "	20 $\frac{1}{2}$ ", 21 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 25 $\frac{1}{2}$ "	21 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 25 $\frac{1}{2}$ "
COLORS	Blue Mink/Silver	Team Red/White	21 $\frac{1}{2}$ " Chartreuse. All other sizes in Chartreuse and Champagne	Black with Chrome Trim	White with Blue	Flamboyant Red	All sizes in Coffee or Bronze Green	Blue, Green, Red or all with Black Trim
FRAME MATERIAL	Reynolds 531 Double Butted Throughout	Reynolds 531 Double Butted Throughout	Reynolds 531 Double Butted Throughout	Reynolds 531 Double Butted Main Tubes & 531 Forks	Reynolds 531 Double Butted Main Tubes & 531 Forks	Reynolds 531 Main Tubes	Reynolds 531 Main Tubes	Raleigh 20-30
LUGS	P1 Latin Line Feature Cut	P1 Latin Line	Exclusive Capella	Exclusive Capella	Professional	Exclusive Capella	Exclusive Capella	Bocama Feature C
FORK	531, with Integral Sloping Crown	Round 531, Fischer Crown w/ Reinforcement Points	531, with forged Wagner V12 Crown	531, with Integral Sloping Crown	Wagner V12 Box Crown	Wagner Box Crown	Wagner Forged Box Crown	Feature Cut Box C
HANDLEBARS	G. B. Maes Alloy Embossed	G. B. Ventoux Alloy	Raleigh Maes Alloy	Raleigh Maes Alloy	Randonneur	Raleigh Maes Alloy	Raleigh Maes Alloy	Raleigh Maes Allo
STEM	T.T.T. Record Alloy	T.T.T. 110 M.M.	G.B. Forged Alloy	G.B. Forged Alloy	G.B. Forged Stem	G.B. Forged Stem	G.B. Forged	G.B. Forged
BRAKES	Campagnolo Record	—	Weinmann 999 with Q/R Feature Light Levers	Weinmann 999 with Black Lever Hoods	Weinmann 999 Short Reach Centre Pull	Weinmann 999 Short Reach Centre Pull	Weinmann 999 Centre Pull	Weinmann 999 Centre Pull
CRANKSET	Campagnolo 44/52T	Campagnolo Pista 48T	Campagnolo 44/52T	TA Alloy Cotterless	Alloy Cotterless with Chain Guard	Raleigh 40/52T	Raleigh 40/52T	Raleigh 40/52T
REAR CLUSTER	13/24T Regina DR0 6 speed	Campagnolo 15T	Simplex 14/24T	14/24T	14/28T	14/28T	14/28T	14/28T
CHAIN	$\frac{1}{2}$ " X $\frac{3}{32}$ " Regina DR0	$\frac{1}{2}$ " X $\frac{1}{8}$ " Coventry	$\frac{1}{2}$ " X $\frac{3}{32}$ "	$\frac{1}{2}$ " X $\frac{3}{32}$ "	$\frac{1}{2}$ " X $\frac{3}{32}$ "	$\frac{1}{2}$ " X $\frac{3}{32}$ "	$\frac{1}{2}$ " X $\frac{3}{32}$ "	$\frac{1}{2}$ " X $\frac{3}{32}$ "
PEDALS	Campagnolo Super Leggera Strada	Campagnolo Super Leggera Pista	Campagnolo Strada	Raleigh 501	Atom 440	Raleigh 501	Raleigh 501	Raleigh 501
RIMS	A.V.A. Sprint Alloy	A.V.A. Sprint Alloy	Nisi/A.V.A. Sprint Alloy	Nisi A.V.A. Sprint Alloy	Weinmann Narrow Alloy High Pressure	Alloy Sprint Rims	Alloy 27" x 1 $\frac{1}{2}$ " High Pressure	27" x 1 $\frac{1}{2}$ " High Pr
HUBS	Campagnolo Record Wide Flange Q/R	Campagnolo Record Wide Flange	Campagnolo Record Wide Flange Q/R	Normandy Luxe Q/R Competition Wide Flange	Normandy Sport Q/R Wide Flange Alloy	Normandy Sport Q/R Wide Flange Alloy	Normandy Sport Alloy Wide Flange Q/R	Wide Flange Alloy with Q/R
TIRES	Clement Critterium Silk Tubular	Clement No. 3 Silk Tubular	Clement Butyl Tubular	Raleigh Racing Butyl Tubular	Clement Gum Wall Wired-bead	Raleigh/Hutchinson Butyl Tubular	Hutchinson Gum Wall	Raleigh Racing Amber Wall
SADDLE	Brooks Professional Team Special Leather	Brooks Professional Team Special Leather	Brooks Professional	Brooks B17N Leather	Brooks B17 Leather	Brooks B17N	Brooks B17N Leather	Leather with Chrome Frame
SEAT POST	Campagnolo	Campagnolo	Campagnolo	No. 5 Alloy	No. 5 Alloy	No. 3 Chrome	Chrome No. 3	Chrome
DERAILLEUR	Campagnolo Nuovo Record	None	Campagnolo Nuovo Record	New Huret Jubilee	New Simplex Maxi	Simplex Prestige	Simplex Prestige	Simplex Prestige
CABLE & TAPE	Silver	White	White	Black	White	White	To Match Frame Color	To Match Frame C
EXTRAS	Toe Clips & Straps	Toe Clips & Straps	Toe Clips & Straps	Toe Clips & Straps	Toe Clips & Straps	Toe Clips & Straps	—	—
Weight Approx.	23-24 lbs.	19-20 lbs.	24-25 lbs.	23-24 lbs.	26-27 lbs.	28-29 lbs.	28-29 lbs.	30-31 lbs.



Professional Mk. IV. Page 2



Professional Track. Page 3



International. Page 4



Competition Mk. II. Page 6



Gran Sport. Page 7



Super Course T.T. Page 8



Super Course. Page 9



Grand Prix. Page 11



Record. Page 12



Sprite 27. Page 14



Superbe. Page 16



Tourist. Page 16



Sports. Page 17



Raleigh Ltd. Page 18



Folder. Page 18



Chopper. Page 19



Record 24. Page 19



Colt. Page 20



Space Rider. Page 20



Mountie. Page 20

Raleigh Industries of America Inc.  
10 West Gateway Rd.,  
Bensenville,  
Ill. 60106.

Raleigh Industries of America Inc.  
899 West Cowles St.,  
Long Beach,  
Calif. 90813.

*(Non operational after mid. 1973)*

Raleigh Industries of America Inc.  
2677 E. El Presidio,  
Carson,  
Calif. 90744.

*(Operational from mid. 1973)*

Raleigh Industries of America Inc.  
Raleigh South Central,  
c/o 10 W. Gateway Rd.,  
Bensenville, Ill. 60106.

Raleigh Industries of America Inc.  
9755 N.W. 80th Ave.,  
Hialeah Gardens,  
Fla. 33016.

Raleigh Industries of America Inc.  
345 University Ave.,  
Westwood,  
Mass. 02090.

Raleigh Industries of America Inc.  
350 Secaucus Road,  
Secaucus,  
N.J. 07094.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Your authorised Raleigh Dealer

SCHWINN 98.95  
SIMILAR TO  
SPRITE 5.5 speed

#### ADMINISTRATIVE OFFICE

Raleigh Industries of America, inc., 1168 Commonwealth Avenue, Boston, Massachusetts 02134

Printed and produced in Europe

A  COMPANY