


RIDE WITH THE WINNER.
TEAM RALEIGH



Raleigh bicycles. Rampal bicycles. Parts and accessories.



Contents

| | |
|--|-------|
| Derailleur drop bar | 2-12 |
| Tourist | 13-18 |
| Action/BMX/Juvenile | 19-25 |
| Frame sets | 26 |
| Exercisers | 26 |
| Bicycle sizing chart | 26 |
| Technical specifications— 10-speeds | 27 |
| Parts and accessories | 28-29 |

Specifications

Frame Size: 20½", 21½", 22½", 23½", 24½", 25½"

Colors: Steel Blue.

Frame Material: Reynolds 531 double butted tubes, forks and chainstays with Campagnolo fork ends.

Lugs: Hand profiled Haden lightweight lugs with window cutouts.

Fork: Reynolds 531 taper gauge with Vagner Crown Campagnolo fork ends.

Handlebar: Raleigh Italiane alloy.

Stem: G.B. Biba forged alloy.

Brakes: Campagnolo Record side pull.

Crankset: Campagnolo Nuovo Record cotterless 42/51T.

Freewheel: 13-24T.

Chain: Regina Oro.

Pedals: Campagnolo Super Leggera Strada.

Rims: Mavic Sprint with reinforcing ferrules.

Hubs: Campagnolo Nuovo Record small flange Q.R.


Tires: Raleigh Imperforable Seta.

Saddle: Brooks Professional Team Special.

Seat Post: Campagnolo Record 27.2mm.

Derailleur: Campagnolo Nuovo Record 12 sp. (rear), Campagnolo Nuovo Record (front) with down tube controls.

Cables & Tape: Black cloth tape and Campagnolo Cables.



RALEIGH®

Professional Mark V

The team leader. It has the latest racing frame geometry. It's made with lightweight Reynolds 531 tubing for the ultimate in performance.

A short wheelbase for maximum maneuverability.

And fully Campy equipped.

It's a pro in every detail. Right down to the Team Pro saddle featuring large copper rivets for comfort as well as durability.

Its extras include a Silca Impero pump, Christophe toe clips and straps, brazed-on down tube tunnel clip, stop and bottle cage bosses, chrome-plated fork tips front and rear. The wheelbase is 39¼"—21½" frame; the frame angles are 73° head, 75° seat—21½" frame. Its approximate weight is 23 lbs.—23½" frame.



RALEIGH®

Competition G.S.

The ultimate in style and comfort. For racing or touring.

Micro adjustable Campy Gran Sport seat post positions leather saddle for custom comfort.

Lightweight frame and Campy Gran Sport transmission for fast, easy riding.

Skinside tires and concave narrow section rims add to the efficient ride of this outstanding member of Team Raleigh.

Its extras include Competition pump, Brooks toe straps and Christophe toe clips, brazed-on rear gear stop, chrome-plated stays and fork blades. The wheel base is 39 $\frac{3}{8}$ "—21 $\frac{1}{2}$ " frame; the frame angles are 74° head, 74° seat—21 $\frac{1}{2}$ " frame. Its approximate weight is 24 lbs.—23 $\frac{1}{2}$ " frame.



GUARANTEED
BUILT
WITH
REYNOLDS
BUTTED
TUBES
FORKS & STAYS
Manufactured by
REYNOLDS TUBE CO. LTD.
Birmingham, England

Specifications

Frame Size: 21 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 25 $\frac{1}{2}$ ".

Colors: Black or Pearl Silver.

Frame Material: Reynolds 531 double butted tubes, forks and chainstays with Campagnolo fork ends.

Lugs: Bocama Professional hand profiled lugs.

Fork: Reynolds 531 Taper Gauge with Vagner crown and Campagnolo ends.

Handlebar: Raleigh Italiane alloy.

Stem: G.B. Biba forged alloy.

Brakes: Weinmann 605 alloy side pull with wheel guides.

Crankset: Campagnolo Gran Sport cotterless 42/52T—170mm.

Freewheel: 14-22T.

Chain: $\frac{1}{2}$ " x $\frac{3}{32}$ ".

Pedals: Campagnolo Gran Sport.

Rims: Weinmann 700c alloy concave A124 narrow section.

Hubs: Campagnolo Gran Sport small flange Q.R.

Tires: Raleigh 700c x 25c skinside.

Saddle: Brooks Professional.

Seat Post: Campagnolo Gran Sport 27.2mm.

Deraileur: Campagnolo Gran Sport (rear), Campagnolo Gran Sport (front) with down tube controls.

Cables & Tape: Black cables and cloth handlebar tape.



Specifications

Frame Size: 21½", 23½", 25½"

Colors: Pearl Red or Gold.

Frame Material: Reynolds 531 main tubes, Raleigh 20-30 high tensile steel forks, chainstays with Sun Tour forged fork ends. Lugs: Bocama Feature Cut.

Fork: Raleigh 20-30 high tensile steel with forged Vagner Crown and Sun Tour forged fork ends.

Handlebar: Raleigh Italiane alloy.

Stem: Raleigh/SR with allen key.

Brakes: Raleigh/Weinmann Short Reach alloy center pull.

Crankset: Raleigh/SR Alloy 5 pin cotterless 42/52T with allen key bolts 170mm (6¾").

Freewheel: Raleigh/Sun Tour Perfect 14/28T.

Chain: ½" x ⅜".

Rims: Weinmann 700c alloy concave A124 narrow section.

Hubs: Atom small flange Q.R.


Tires: Raleigh 700 gumside 90PSI.

Saddle: Suede.

Seat Post: Raleigh/SR 26.8mm.

Derailleur: Sun Tour Cyclone GT (rear), Raleigh/Sun Tour Compe V (front) with handlebar end shifters.

Cables & Tape: White cables, cloth tape colored to suit.



RALEIGH®

Super Course

The sports car of bicycling. Sleek and racy from its short wheel base to its suede saddle.

The short reach centerpull brakes ensure safe, reliable stopping power.

The derailleur and freewheel designs make this the perfect bicycle for the aspiring racer.

Its extras include a Valve Adaptor, Brooks toe straps and Christophe toe clips, brazed-on cable eyes, arch, guides, down tube stops and chrome-plated fork tips front and rear.

The Super Course has a wheel base of 39⅞"—21½" frame; its frame angles are 74° head, 74° seat—21½" frame. Its approximate weight is 26 lbs.—21½" frame.



Technical Specifications

| Model | Professional | Competition G.S | Super Course | Super Grand Prix | Grand Prix | Record Ace | Record FFS:PPS | R-Four | R-Two | R-1027 |
|----------------|---|--|--|---|---|---|---|---|---|---|
| Page No | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 11 | 11 | 12 |
| FRAME SIZE | 20 ¹ / ₂ "", 21 ¹ / ₂ "", 22 ¹ / ₂ "", 23 ¹ / ₂ "", 24 ¹ / ₂ "", 25 ¹ / ₂ " | 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " | 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " | 20 ¹ / ₂ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " | Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies Mixte: 19 ¹ / ₂ "", 21 ¹ / ₂ "", 23 ¹ / ₂ " | Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies Mixte: 19 ¹ / ₂ "", 21 ¹ / ₂ "", 23 ¹ / ₂ " | Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies Mixte: 19 ¹ / ₂ "", 21 ¹ / ₂ "", 23 ¹ / ₂ " | Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies with Touring Handlebars: 19 ¹ / ₂ "", 21 ¹ / ₂ "", 23 ¹ / ₂ " | Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies Mixte: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ " | 19", 21", 23" |
| COLORS | Steel Blue | Black or Pearl Silver | Pearl Red or Gold | Pearl Green | Midnight Blue, Bronze, or Pearl Silver | Space Blue, Royal Carmine or Black | Horizon Blue or Brilliant Orange | Ice Blue | Flamboyant Blue, Gold, Tangerine | Red, Blue |
| FRAME MATERIAL | Reynolds 531 Double Butted Tubes, Forks and Chainstays with Campagnolo Fork Ends | Reynolds 531 Double Butted Tubes, Forks and Chainstays with Campagnolo Fork Ends | Reynolds 531 Main Tubes Raleigh 20-30 High Tensile Steel Forks, Chainstays with Sun Tour Forged Fork Ends | Raleigh 20-30 High Tensile Steel | Raleigh 20-30 High Tensile Steel | Raleigh 20-30 High Tensile Steel | Raleigh 20-30 High Tensile Steel | High Carbon Steel | High Carbon Steel | Carbon Steel |
| LUGS | Hand Profiled Haden Lightweight Lugs with Window Cut Outs | Bocama Professional Hand Profiled Lugs | Bocama Feature Cut | Bocama Feature Cut | Bocama Feature Cut | Bocama Feature Cut | Bocama Feature Cut | Custom Cut | Custom Cut | Lightweight Feature Cut |
| FORK | Reynolds 531 Taper Gauge with Vagner Crown Campagnolo Fork Ends | Reynolds 531 Taper Gauge with Vagner Crown and Campagnolo Ends | Raleigh 20-30 High Tensile Steel with Forged Vagner Crown and Sun Tour Forged Fork Ends | Raleigh 20-30 High Tensile Steel with Vagner Crown Forged | Raleigh 20-30 High Tensile Steel with Vagner Crown Forged | Raleigh 20-30 High Tensile Steel with Vagner Crown Forged | Raleigh 20-30 High Tensile Steel with Pressed Box Crown | High Carbon Tubular Blades with Box Crown | High Carbon Tubular Blades with Box Crown | Carbon Steel |
| HANDLEBAR | Raleigh Italiane Alloy | Raleigh Italiane Alloy | Raleigh Italiane Alloy | Raleigh Maes Alloy | Raleigh Maes Alloy | Alloy Maes | Alloy Maes | SR Chrome Plated Steel | SR Chrome Plated Steel | Chrome Plated Steel |
| STEM | G B Biba Forged Alloy | G.B. Biba Forged Alloy | Raleigh SR with Allen Key | Alloy with Allen Key | Alloy with Allen Key | Alloy with Allen Key | Alloy with Allen Key | SR Alloy with Allen Expander Bolt | SR Alloy Stem with Allen Expander Bolt | SR Alloy |
| BRAKES | Campagnolo Record Side Pull | Weinmann 605 Alloy Side Pull with Wheel Guides | Raleigh/Weinmann Short Reach Alloy Center Pull | Raleigh/Weinmann Alloy Center Pull with Q.R. and Extension Levers | Raleigh/Weinmann Alloy Center Pull with Q.R. and Extension Levers | Raleigh/Weinmann Alloy Centerpull with Extension Levers | Raleigh/Weinmann Alloy Centerpull with Extension Levers | Diacome Alloy Centerpull with Extension Levers | Diacome Centerpull with Extension Levers | Rampar Centerpull |
| CRANKSET | Campagnolo Nuovo Record Cotterless 42-52T | Campagnolo Gran Sport Cotterless 42-52T-170mm | Raleigh/SR Alloy 5 Pin Cotterless 42-52 T with Allen Key Bolts 170mm (6 ³ / ₄ inches) | Raleigh SR Alloy 5 Pin Cotterless 42-52T with Slotted Spider and Allen Key Bolts 165mm (6 ¹ / ₂ inches) | Raleigh/SR Alloy 5 pin Cotterless 42-52T 165mm (6 ¹ / ₂ inches) | Raleigh/SR Alloy 5 Pin Cotterless 42-52 T 165mm (6 ¹ / ₂ "") | Shimano FFS 40 52T 165mm (6 ¹ / ₂ inches) | Shimano Front Free Wheel System 40 52T with 6 ¹ / ₂ " Steel Cranks | Forged Steel Five Pin, 42-52T with Disc | Sugino 3-Pin Steel 6 ¹ / ₂ " Cranks |
| FREEWHEEL | 13-24 T | 14-22T | Raleigh Sun Tour Perfect 14-28 T | Raleigh Sun Tour Perfect 14-34 T | Raleigh Sun Tour Perfect 14-34 T | Raleigh/Sun Tour Perfect 14-34 T | Shimano 14/28 T | 14-28 T | 14-28 T | 14-28 T Sun Tour |
| CHAIN | Regina Oro | 1 ¹ / ₂ " x 3/32" | 1 ¹ / ₂ " x 3/32" | 1 ¹ / ₂ " x 3/32" | 1 ¹ / ₂ " x 3/32" | 1 ¹ / ₂ " x 3/32" | Shimano Uniglide | 1 ¹ / ₂ " x 3/32" Gold Uniglide | 1 ¹ / ₂ " x 3/32" | 1 ¹ / ₂ " x 3/32" |
| PEDALS | Campagnolo Super Legera Strada | Campagnolo Gran Sport | Atom 440 | Raleigh Ball Bearing with Reflectors | Raleigh Ball Bearing with Reflectors | Raleigh Ball Bearing with Reflectors | Raleigh Ball Bearing with Reflectors | MKS Chrome Plated Steel with Reflectors | MKS Chrome Plated Steel with Reflectors | Steel |
| RIMS | Mavic Sprint with Reinforcing Ferrules | Weinmann 700c Alloy Concave A124 Narrow Section | Weinmann 700c Alloy Concave A124 Narrow Section | Raleigh Alloy 700c PV | 27" x 1 ¹ / ₄ " High Pressure Steel | 27" x 1 ¹ / ₄ " | 27" x 1 ¹ / ₄ " | 27" x 1 ¹ / ₄ " Chrome Plated Steel, 36-Hole | 27" x 1 ¹ / ₄ " Chrome Plated | Chrome Plated Steel, 36-Hole |
| HUBS | Campagnolo Nuovo Record Small Flange Q.R | Campagnolo Gran Sport Small Flange Q.R | Atom Small Flange Q.R | Normandy Large Flange Q.R | Normandy Large Flange Q.R Front and Rear | Large Flange Alloy | Shimano Alloy Small Flange | Chrome Plated Steel Semi High Flange | Chrome Plated Steel, Semi High Flange | Chrome, Semi High Flange |
| TIRES | Raleigh Imperforabile Seta | Raleigh 700c x 25c Skinside | Raleigh 700 Gumside 90 psi | Raleigh 700c Gumside 90 psi | Raleigh 27" x 1 ¹ / ₄ " Gumwall High Pressure | Raleigh 27" x 1 ¹ / ₄ " Gumwall High Pressure | Raleigh 27" x 1 ¹ / ₄ " Gumwall High Pressure | 27" x 1 ¹ / ₄ " | 27" x 1 ¹ / ₄ " Raleigh Gumwall | 27" x 1 ¹ / ₄ " Gumwall |
| SADDLE | Brooks Professional Team Special | Brooks Professional | Suede | Simulated Suede | Simulated Suede Top Panel on a Padded Nylon Pan | Brooks CR3 | Brooks CR3 | Rampar Padded Vinyl with Nylon Base | Rampar Padded Vinyl with Nylon Base | Padded Quilted Vinyl |
| SEAT POST | Campagnolo Record 27.2mm | Campagnolo Gran Sport 27.2mm | Raleigh SR 26.8mm | Alloy 25.4mm (1 inch) | Alloy 25.4mm (1 inch) | Chrome 25.4mm (1 inch) | Chrome 25.4 (1 inch) | Chrome Steel | Chrome Steel | Steel |
| DERAILLEUR | Campagnolo Nuovo Record 12SP (Rear) Campagnolo Nuovo Record with Down Tube Controls (Front) | Campagnolo Gran Sport (Rear) Campagnolo Gran Sport with Down Tube Controls (Front) | Sun Tour Cyclone GT (Rear) Raleigh Sun Tour Compe V with Handlebar End Shifters | Raleigh Sun Tour VGT (Rear) Raleigh Sun Tour Compe V Front with Handlebar End Shifters | Raleigh Sun Tour VGT (Rear) Raleigh Sun Tour Compe V with Handlebar Stem Power Shifters | Raleigh Sun Tour 7GT (Rear) Raleigh Sun Tour Compe V with Handlebar Power Stem Shifters | Shimano Positron (Rear) Raleigh/Shimano 400 with Positron Stem Shifters | Shimano EL 400 Front Freewheel System | Sun Tour Spirit Front and Seven GT Rear | Sun Tour Spirit Front and Honor Rear |
| CABLES & TAPE | Black Cloth Tape and Campagnolo Cables | Black Cables and Cloth Handlebar Tape | White Cables, Cloth Tape Colored to Suit | White Cables and Cloth Tape Colored to Suit | White | White | White | Black | Black | Black |
| EXTRAS | Silca Impero Pump, Christophe Toe Clips and Straps, Brazed on Down Tube Tunnel Clip, Stop and Bottle Cage Bosses, Chrome Plated Fork Tips Front and Rear | Competition Pump, Brooks Toe Straps and Christophe Toe Clips Brazed on Rear Gear Stop, Chrome Plated Stays and Fork Blades | Valve Adaptor, Brooks Toe Clips and Christophe Toe Clips, Brazed on Cable Eyes, Arch. Guides, Down Tube Stops and Chrome Plated Fork Tips Front and Rear | Valve Adaptors, Brooks Toe Clips and Straps, Brazed on Cable Eyes, Arch. Guides and Down Tube Stops | Brazed on Cable Eyes, Arch. Guides and Down Tube Stops, Chrome Plated Front Fork Blades | Brazed on Cable Eyes, Guides and Down Tube Stops | Brazed on Cable Eyes | Touch Up Paint Brazed on Cable Stops | Touch Up Paint Brazed on Cable Stops | Brazed on Cable Stops |
| WHEEL BASE | 39 ³ / ₄ "-21 ¹ / ₂ " Frame | 39 ³ / ₄ "-21 ¹ / ₂ " Frame | 39 ⁵ / ₁₆ "-21 ¹ / ₂ " Frame | 39 ¹ / ₂ "-21 ¹ / ₂ " Frame | 41 ¹ / ₈ "-21 ¹ / ₂ " Frame | 41 ¹ / ₈ "-21 ¹ / ₂ " Frame | 41 ¹ / ₃₂ "-21 ¹ / ₂ " Frame | 41 ³ / ₈ "-21 ¹ / ₂ " Frame | 41 ¹ / ₈ "-21 ¹ / ₂ " Frame | 41 ¹ / ₈ "-21 ¹ / ₂ " Frame |
| FRAME ANGLES | 73° Head, 75° Seat-21 ¹ / ₂ " Frame | 74° Head, 74° Seat-21 ¹ / ₂ " Frame | 74° Head, 74° Seat-21 ¹ / ₂ " Frame | 74° Head, 74° Seat-21 ¹ / ₂ " Frame | 73° Head, 73° Seat-21 ¹ / ₂ " Frame | 72° Head, 72° Seat-21 ¹ / ₂ " Frame | 73° Head, 73° Seat-21 ¹ / ₂ " Frame | 73° Head, 73° Seat-21 ¹ / ₂ " Frame | 73° Head, 73° Seat-21 ¹ / ₂ " Frame | 73° Head, 73° Seat-21 ¹ / ₂ " Frame |
| APPROX. WT. | 23 lbs -23 ¹ / ₂ " Frame | 24 lbs -23 ¹ / ₂ " Frame | 26 lbs -21 ¹ / ₂ " Frame | 26 lbs -21 ¹ / ₂ " Frame | 29 lbs -21 ¹ / ₂ " Frame | 30 lbs -21 ¹ / ₂ " Frame | 32 lbs -21 ¹ / ₂ " Frame | 33 lbs -21 ¹ / ₂ " Frame | 31 ¹ / ₂ lbs -21 ¹ / ₂ " Frame | 33 lbs -21 ¹ / ₂ " Frame |

Specifications subject to change without notice. Actual colors may differ slightly from printed photographs.